



#### **SOLANA GmbH**

Albert-Einstein-Ring 5 22761 Hamburg Germany Phone +49 (0)40 41 42 40-0 Fax +49 (0)40 41 77 16 info@solana.de www.solana.de

# Rossini





An early maincrop variety, suitable for crisps and dehydrated potato products. Its outstanding resistances against PCN Ro 1(9), Ro 3(9) as well as Pa 2(9) and Pa 3(9) make Rossini attractive for intensively farmed potato land. Next to PCN resistance, it is also resistant against potato wart disease 1. Tubers are round oval with a light yellow flesh colour. Good tolerances against bruising, blackleg and tuber blight. Irrigation is worthwile. The highest crisping quality is achieved from greentop harvesting directly from the field until December.[nbsp] [nbsp]

### Plant

Maturity Medium early
Plant type Stem type
Growth habit Upright
Color of flower Light red-violet
Foliage development Rapid
Number of tubers High

Number of tubers High
Dormancy Medium, High

## **Tuber characteristics**

Tuber shape Round oval
Flesh color Cream, Light yellow
Eye depth Shallow, Medium
Skin color Yellow
Skin characteristic Netted

#### Resistances

Nematodes Ro 1, Ro 3, Pa 2 (8), Pa 3 Potato wart disease Race 1 Leaf blight Medium, High Tuber blight Medium Rhizoctonia Medium Black leg High Common scab Medium Internal rust spot Medium **Damages** Medium Bruising Medium **PVY** Low PVY ntn High

# **Yield and Quality**

Market outlet Crisps, Dehydrated potato products Yield Medium Share oversize Low Share undersize Medium After cooking discoloration Low Discoloration raw Medium Dry matter content Medium Chips quality after harvest Good